



BEARING No	PRINCIPAL DIMANSIONS mm							BASIC LOAD lbf		SPEED LIMIT RPM	
	d	D	T	B	C	r1	r	DYNAMIC	STATIC	GREASE	OIL
32004X	20	42	15	15	12	0.6	0.6	5440	6070	8500	12000
32005X	25	47	15	15	11.5	0.6	0.6	6070	7310	7500	10000
32006X	30	55	17	17	13	1.0	1.0	8050	9890	6600	8700
32007X	35	62	18	18	14	1.0	1.0	9640	12100	5800	7700
32008X	40	68	19	19	14.5	1.0	1.0	11900	16000	5000	6700
32009X	45	75	20	20	15.5	1.0	1.0	13100	18000	4600	6000
32010X	50	80	20	20	15.5	1.0	1.0	13600	19800	4200	5500
32011X	55	90	23	23	17.5	1.5	1.5	17600	25200	3800	5100
32012X	60	90	23	23	17.5	1.5	1.5	18600	27400	3500	4600
32013X	65	100	23	23	17.5	1.5	1.5	18900	28600	3200	4400
32014X	70	110	25	25	19	1.5	1.5	22700	34400	3000	4000
32015X	75	115	25	25	19	1.5	1.5	15800	26100	2900	3800
32016X	80	125	29	29	22	1.5	1.5	31000	48600	2700	3500
32017X	85	130	29	29	22	1.5	1.5	31500	50400	2500	3300
32018X	90	140	32	32	24	2.0	1.5	37800	60700	2400	3100
32019X	95	145	32	32	24	2.0	1.5	37800	60700	2200	2900
32020X	100	150	32	32	24	2.0	1.5	28100	42700	2100	2700
32021X	105	160	35	35	26	2.0	2.5	45200	75300	1900	2600
32022X	110	150	38	38	29	2.0	2.5	52400	87700	1800	2400
32024X	120	180	38	38	29	2.0	2.5	54400	93300	1700	2200
32026X	130	200	45	45	34	2.0	2.5	70600	121000	1600	2000
32028X	140	210	45	45	34	2.0	2.5	74200	132000	1500	2000
32030X	150	225	48	48	36	2.5	3.0	83000	147000	1400	1800

Material: SAE-52100 Chrome Steel